

TCIPG Reading Group

Transport Layer Session 4

Transport Layer

Our goals:


- understand principles behind transport layer services:
 - multiplexing/demultiplexing
 - reliable data transfer
- learn about transport layer protocols in the Internet:
 - UDP: connectionless transport
 - TCP: connection-oriented transport

Outline

- ❑ 3.1 Transport-layer services
- ❑ 3.2 Multiplexing and demultiplexing
- ❑ 3.3 Connectionless transport: UDP
- ❑ 3.4 Connection-oriented transport: TCP
 - segment structure
 - reliable data transfer
 - connection management

Transport services and protocols

- ❑ provide *logical communication* between app processes running on different hosts
- ❑ transport protocols run in end systems
 - send side: breaks app messages into *segments*, passes to network layer
 - rcv side: reassembles segments into messages, passes to app layer
- ❑ more than one transport protocol available to apps
 - Internet: TCP and UDP



Transport vs. network layer

- ❑ *network layer*: logical communication between hosts
- ❑ *transport layer*: logical communication between processes
 - relies on, enhances, network layer services


Household analogy:

12 kids sending letters to 12 kids

- ❑ processes = kids
- ❑ app messages = letters in envelopes
- ❑ hosts = houses
- ❑ transport protocol = Ann and Bill
- ❑ network-layer protocol = postal service

Internet transport-layer protocols

- ❑ reliable, in-order delivery (TCP)
 - congestion control
 - flow control
 - connection setup
- ❑ unreliable, unordered delivery: UDP
 - no-frills extension of “best-effort” IP
- ❑ services not available:
 - delay guarantees
 - bandwidth guarantees



Transport service requirements of common apps

Application	Data loss	Throughput	Time Sensitive
file transfer	no loss	elastic	no
e-mail	no loss	elastic	no
Web documents	no loss	elastic	no
real-time audio/video	loss-tolerant	audio: 5kbps-1Mbps video: 10kbps-5Mbps	yes, 100's msec
stored audio/video	loss-tolerant	same as above	
interactive games	loss-tolerant	few kbps up	yes, few secs
instant messaging	no loss	elastic	yes, 100's msec
			yes and no

Internet apps: application, transport protocols

Application	Application layer protocol	Underlying transport protocol
e-mail	SMTP [RFC 2821]	TCP
remote terminal access	Telnet [RFC 854]	TCP
Web	HTTP [RFC 2616]	TCP
file transfer	FTP [RFC 959]	TCP
streaming multimedia	HTTP (eg Youtube), RTP [RFC 1889]	TCP or UDP
Internet telephony	SIP, RTP, proprietary (e.g., Skype)	typically UDP

Outline

- ❑ 3.1 Transport-layer services
- ❑ 3.2 Multiplexing and demultiplexing
- ❑ 3.3 Connectionless transport: UDP
- ❑ 3.4 Connection-oriented transport: TCP
 - segment structure
 - reliable data transfer
 - connection management

Multiplexing/demultiplexing


Demultiplexing at rcv host:

delivering received segments
to correct socket

Multiplexing at send host:


gathering data from multiple
sockets, enveloping data with
header (later used for
demultiplexing)

■ = socket ○ = process



How demultiplexing works


- ❑ **host receives IP datagrams**
 - each datagram has source IP address, destination IP address
 - each datagram carries 1 transport-layer segment
 - each segment has source, destination port number
- ❑ **host uses IP addresses & port numbers to direct segment to appropriate socket**



TCP/UDP segment format

Connectionless demux

```
DatagramSocket serverSocket = new DatagramSocket(6428);
```




SP provides “return address”

Connection-oriented demux

- ❑ TCP socket identified by 4-tuple:
 - source IP address
 - source port number
 - dest IP address
 - dest port number
- ❑ recv host uses all four values to direct segment to appropriate socket
- ❑ Server host may support many simultaneous TCP sockets:
 - each socket identified by its own 4-tuple
- ❑ Web servers have different sockets for each connecting client
 - non-persistent HTTP will have different socket for each request

Connection-oriented demux: Threaded Web Server



Outline

- ❑ 3.1 Transport-layer services
- ❑ 3.2 Multiplexing and demultiplexing
- ❑ 3.3 Connectionless transport: UDP
- ❑ 3.4 Connection-oriented transport: TCP
 - segment structure
 - reliable data transfer
 - connection management

UDP: User Datagram Protocol [RFC 768]


- ❑ “no frills,” “bare bones” Internet transport protocol
- ❑ “best effort” service, UDP segments may be:
 - lost
 - delivered out of order to app
- ❑ *connectionless*:
 - no handshaking between UDP sender, receiver
 - each UDP segment handled independently of others

Why is there a UDP?

- ❑ no connection establishment (which can add delay)
- ❑ simple: no connection state at sender, receiver
- ❑ small segment header
- ❑ no congestion control: UDP can blast away as fast as desired

UDP: more

- ❑ often used for streaming multimedia apps
 - loss tolerant
 - rate sensitive
- ❑ other UDP uses
 - DNS
 - SNMP
- ❑ reliable transfer over UDP: add reliability at application layer
 - application-specific error recovery!



UDP segment format

UDP checksum

Goal: detect “errors” (e.g., flipped bits) in transmitted segment

Sender:

- ❑ treat segment contents as sequence of 16-bit integers
- ❑ checksum: addition (1's complement sum) of segment contents
- ❑ sender puts checksum value into UDP checksum field

Receiver:

- ❑ compute checksum of received segment
 - ❑ check if computed checksum equals checksum field value:
 - NO - error detected
 - YES - no error detected.
But maybe errors nonetheless? More later
-


Outline

- ❑ 3.1 Transport-layer services
- ❑ 3.2 Multiplexing and demultiplexing
- ❑ 3.3 Connectionless transport: UDP
- ❑ 3.4 Connection-oriented transport: TCP
 - segment structure
 - reliable data transfer
 - connection management


TCP: Overview

RFCs: 793, 1122, 1323, 2018, 2581

- ❑ **point-to-point:**
 - one sender, one receiver
 - ❑ **reliable, in-order *byte stream*:**
 - no “message boundaries”
 - ❑ **pipelined:**
 - TCP congestion and flow control set window size
 - ❑ ***send & receive buffers***
- ❑ **full duplex data:**
 - bi-directional data flow in same connection
 - MSS: maximum segment size
 - ❑ **connection-oriented:**
 - handshaking (exchange of control msgs) init's sender, receiver state before data exchange
 - ❑ **flow controlled:**
 - sender will not overwhelm receiver



TCP segment structure



TCP seq. #'s and ACKs

Seq. #'s:


- byte stream
“number” of first
byte in segment's
data

ACKs:

- seq # of next byte
expected from
other side
- cumulative ACK

Q: how receiver handles
out-of-order segments

- A: TCP spec
doesn't say, - up to
implementor




Outline

- ❑ 3.1 Transport-layer services
- ❑ 3.2 Multiplexing and demultiplexing
- ❑ 3.3 Connectionless transport: UDP
- ❑ 3.4 Connection-oriented transport: TCP
 - segment structure
 - **reliable data transfer**
 - connection management

Principles of Reliable data transfer

- important in app., transport, link layers
- top-10 list of important networking topics!




(a) provided service

- characteristics of unreliable channel will determine complexity of reliable data transfer protocol (rdt)

Principles of Reliable data transfer


- important in app., transport, link layers
- top-10 list of important networking topics!



- characteristics of unreliable channel will determine complexity of reliable data transfer protocol (rdt)

Principles of Reliable data transfer

- important in app., transport, link layers
- top-10 list of important networking topics!



(a) provided service

(b) service implementation

TCP reliable data transfer

- ❑ TCP creates rdt service on top of IP's unreliable service
- ❑ Pipelined segments
- ❑ Cumulative acks
- ❑ TCP uses single retransmission timer
- ❑ Retransmissions are triggered by:
 - timeout events
 - duplicate acks
- ❑ Initially consider simplified TCP sender:
 - ignore duplicate acks
 - ignore flow control, congestion control

TCP sender events:

data rcvd from app:

- ❑ Create segment with seq #
- ❑ seq # is byte-stream number of first data byte in segment
- ❑ start timer if not already running (think of timer as for oldest unacked segment)
- ❑ expiration interval: `TimeoutInterval`

timeout:

- ❑ retransmit segment that caused timeout
- ❑ restart timer

Ack rcvd:

- ❑ If acknowledges previously unacked segments
 - update what is known to be acked
 - start timer if there are outstanding segments

NextSeqNum = InitialSeqNum

SendBase = InitialSeqNum

```
loop (forever) {  
    switch(event)
```

```
    event: data received from application above  
        create TCP segment with sequence number NextSeqNum  
        if (timer currently not running)  
            start timer  
        pass segment to IP  
        NextSeqNum = NextSeqNum + length(data)
```

```
    event: timer timeout  
        retransmit not-yet-acknowledged segment with  
            smallest sequence number  
        start timer
```

```
    event: ACK received, with ACK field value of y  
        if (y > SendBase) {  
            SendBase = y  
            if (there are currently not-yet-acknowledged segments)  
                start timer  
        }
```

```
} /* end of loop forever */
```

TCP sender (simplified)



Comment:

- SendBase-1: last cumulatively ack'ed byte


Example:

- SendBase-1 = 71;
y = 73, so the rcvr wants 73+ ;
y > SendBase, so that new data is acked

TCP: retransmission scenarios



TCP retransmission scenarios (more)




TCP Round Trip Time and Timeout

$$\text{EstimatedRTT} = (1 - \alpha) * \text{EstimatedRTT} + \alpha * \text{SampleRTT}$$

- ❑ Exponential weighted moving average
- ❑ influence of past sample decreases exponentially fast
- ❑ typical value: $\alpha = 0.125$

Example RTT estimation:

RTT: gaia.cs.umass.edu to fantasia.eurecom.fr



TCP Round Trip Time and Timeout

Setting the timeout

- ❑ EstimatedRTT plus “safety margin”
 - large variation in EstimatedRTT → larger safety margin
- ❑ first estimate of how much SampleRTT deviates from EstimatedRTT:

$$\text{DevRTT} = (1-\beta) * \text{DevRTT} + \beta * |\text{SampleRTT} - \text{EstimatedRTT}|$$

(typically, $\beta = 0.25$)

Then set timeout interval:

$$\text{TimeoutInterval} = \text{EstimatedRTT} + 4 * \text{DevRTT}$$

TCP Connection Management

Recall: TCP sender, receiver establish “connection” before exchanging data segments

□ initialize TCP variables:

- seq. #s
- buffers, flow control info (e.g. RcvWindow)

□ *client*: connection initiator

```
Socket clientSocket = new  
Socket("hostname", "port  
number");
```

□ *server*: contacted by client

```
Socket connectionSocket =  
welcomeSocket.accept();
```

Three way handshake:

Step 1: client host sends TCP SYN segment to server

- specifies initial seq #
- no data

Step 2: server host receives SYN, replies with SYNACK segment

- server allocates buffers
- specifies server initial seq. #

Step 3: client receives SYNACK, replies with ACK segment, which may contain data

Outline

- ❑ 3.1 Transport-layer services
- ❑ 3.2 Multiplexing and demultiplexing
- ❑ 3.3 Connectionless transport: UDP
- ❑ 3.4 Connection-oriented transport: TCP
 - segment structure
 - reliable data **transfer**
 - connection management

TCP Connection Management (cont.)


Closing a connection:

client closes socket:

```
clientSocket.close();
```

Step 1: client end system sends TCP FIN control segment to server

Step 2: server receives FIN, replies with ACK. Closes connection, sends FIN.




TCP Connection Management (cont.)

Step 3: client receives FIN, replies with ACK.


- Enters “timed wait” - will respond with ACK to received FINs

Step 4: server, receives ACK. Connection closed.


Note: with small modification, can handle simultaneous FINs.



TCP Connection Management (cont)



TCP client lifecycle



TCP server lifecycle